	Hits	Search Text	DBs
1	7	((first and second) adj report$1) with link$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	7	12 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1	15 and (report$1 with template$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	16 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	3	15 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	3	18 and database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	1	l9 and quer$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	0	l9 and statement$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	0	l9 and template$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	1	l5 and template$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	146	relational and database$1 and (report$1 same link$6) and (quer$3 or statement$1) and publish$5 and (RDBM$1 or (relational adj database$1 adj management adj system$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	48	l14 and ((first and second) with report$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	38	115 and (bind$4 or bound$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	118 and (drill$1down near4 report$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	1	118 and meta$1data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	meta$1data and relational and database$1 and (report$1 same pattern$1 same (object$1 or element$1 or item$1)) and (quer$3 or statement$1) and (drill$1down near5 report$1) and set$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	40	(drill$1down near5 report$1) and set$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	23	122 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	2	123 and meta$1data and relational and database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	2	125 and (quer$3 or statement$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	2	126 and (template$1 or pattern$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB